



Open 敬红特, 卡七子依
祝老师生日快樂!!

Dr. C. J. Lee's publication and citation are in fact better than most of the faculty members in National Sun Yat-Sen University. He even has one on line paper, accepted by Scripta Mater about ten days before his pass-away date. His persistence and passion on research is well recognized by all of us. We are proud of him.

From: Jeff De Hosson, UK
Sent: Friday, March 22, 2013 3:22 PM



Dear Dr Lee:

We are pleased to inform you that your manuscript entitled "Improved mechanical properties of sputtered and evaporated Zn films deposited on flexible substrate with an adhesive layer of amorphous ZrCu film", editorial reference number: SMM-13-167R1 has been accepted for publication in Scripta Materialia.

We thank you for selecting Scripta Materialia for publishing your paper.

Sincerely,
Jeff Th.M. De Hosson
Editor

Results found:	32
Sum of the Times Cited [?]:	603
Sum of Times Cited without self-citations [?]:	549
Citing Articles[?]:	443
Citing Articles without self-citations [?]:	420
Average Citations per Item [?]:	18.84
h-index [?]:	11



		2009	2000	2001	2002	2003	Total	Average
Use the checkboxes to remove individual items from this Citation Report or restrict to items published between		99	10	11	12	32	66	54.82
<input type="checkbox"/>	1 Title: Relationship between grain size and Zener-Holloman parameter during friction stir processing in AZ31 Mg alloys Author(s): Chang, CI; Lee, CJ; Huang, JC Source: SCRIPTA MATERIALIA Volume: 51 Issue: 6 Pages: 509-514 DOI:10.1016/j.scriptamat.2004.05.043 Published: SEP 2004	16	16	19	26	99	138	13.80
<input type="checkbox"/>	2 Title: Mg based nano-composites fabricated by friction stir processing Author(s): Lee, CJ; Huang, JC; Hsieh, PJ Source: SCRIPTA MATERIALIA Volume: 54 Issue: 7 Pages: 1415-1420 DOI:10.1016/j.scriptamat.2005.11.056 Published: APR 2006	14	11	18	19	55	87	10.88
<input type="checkbox"/>	3 Title: Sample size effect and microcompression of Mg65Cu25Gd10 metallic glass Author(s): Lee, C. J.; Huang, J. C.; Nieh, T. G. Source: APPLIED PHYSICS LETTERS Volume: 91 Issue: 16 Article Number: 161913 DOI:10.1063/1.2800313 Published: OCT 15 2007	19	23	10	85	57	71	10.14
<input type="checkbox"/>	4 Title: Bulk and microscale compressive behavior of a Zr-based metallic glass Author(s): Lai, Y. H.; Lee, C. J.; Cheng, Y. T.; et al. Source: SCRIPTA MATERIALIA Volume: 58 Issue: 10 Pages: 890-893 DOI:10.1016/j.scriptamat.2008.01.009 Published: MAY 2008	19	18	9	10	33	61	10.17
<input type="checkbox"/>	5 Title: Cavitation characteristics in AZ31 Mg alloys during LTSP or HSRSP Author(s): Lee, CJ; Huang, JC Source: ACTA MATERIALIA Volume: 52 Issue: 10 Pages: 3111-3122 DOI: 10.1016/j.actamat.2004.03.012 Published: JUN 7 2004	5	5	6	4	11	43	4.30
<input type="checkbox"/>	6 Title: Texture and weak grain size dependence in friction stir processed Mg-Al-Zn alloy Author(s): Wang, Y. N.; Chang, C. I.; Lee, C. J.; et al. Source: SCRIPTA MATERIALIA Volume: 55 Issue: 7 Pages: 637-640 DOI:10.1016/j.scriptamat.2006.06.005 Published: OCT 2006	10	5	9	8	0	42	5.25
<input type="checkbox"/>	Title: A nanoscaled underlayer confinement approach for achieving							

7 **extraordinarily plastic amorphous thin film**
 Author(s): Liu, M. C.; Huang, J. C.; Chou, H. S.; et al.
 Source: SCRIPTA
 MATERIALIA Volume: **61** Issue: **8** Pages: **840-843** DOI:10.1016/j.
 scriptamat.2009.07.010 Published: **OCT 2009**

						1	
							2
							0

Title: **Hot embossing of micro-lens array on bulk metallic glass**
 8 Author(s): Pan, C. T.; Wu, T. T.; Chen, M. F.; et al.
 Source: SENSORS AND ACTUATORS
 A-PHYSICAL Volume: **141** Issue: **2** Pages: **422-431** DOI:10.1016/j.
 sna.2007.10.040 Published: **FEB 15 2008**

						2	
3	5	4	6	1		1	3
							5
							0

Title: **Viscous flow behavior and thermal properties of bulk**
 9 **amorphous Mg58Cu31Y11 alloy**
 Author(s): Chang, Y. C.; Hung, T. H.; Chen, H. M.; et al.
 Source: INTERMETALLICS Volume: **15** Issue: **10** Pages: **1303-1308**
 DOI: **10.1016/j.intermet.2007.03.012** Published: **OCT 2007**

						2	
6	4	2	2	0		0	2
							8
							6

Title: **Influence from extrusion parameters on high strain rate and**
 1 **low temperature superplasticity of AZ series Mg-based alloys**
 0. Author(s): Wang, YN; Lee, CJ; Huang, CC; et al.
 Source: THERMEC'2003, PTS 1-5 Book Series: **MATERIALS**
SCIENCE
FORUM Volume: **426-4** Pages: **2655-2660** Published: **2003**


						1	
1	1	1	0	0		6	1
							4
							5

Title: **Tensile behaviors of amorphous-ZrCu/nanocrystalline-Cu multilayered thin film on**
 1. **polyimide substrate**
 Author(s): Huang, H. S.; Pei, H. J.; Chang, Y. C.; et al.
 Source: THIN SOLID
 FILMS Volume: **529** Pages: **177-180** DOI: **10.1016/j.tsf.2012.02.019** Published: **FEB 1 2013**
 Times Cited: **0** (from Web of Science)




[View abstract]

Title: **A study on electric properties for pulse laser annealing of ITO film after wet etching**
 2. Author(s): Lee, C. J.; Lin, H. K.; Li, C. H.; et al.
 Source: THIN SOLID
 FILMS Volume: **522** Pages: **330-335** DOI: **10.1016/j.tsf.2012.09.010** Published: **NOV 1 2012**
 Times Cited: **0** (from Web of Science)



[View abstract]

Title: **Correlation between reflectivity and resistivity in multi-component metallic systems**
 3 Author(s): Hu, T. T.; Hsu, J. H.; Huang, J. C.; et al.
 Source: APPLIED PHYSICS LETTERS Volume: **101** Issue: **1** Article
 Number: **011902** DOI: **10.1063/1.4732143** Published: **JUL 2 2012**
 Times Cited: **0** (from Web of Science)



[View abstract]

4. Title: **Pulsed laser micromachining of Mg-Cu-Gd bulk metallic glass**
Author(s): Lin, Hsuan-Kai; Lee, Ching-Jen; Hu, Ting-Ting; et al.
Source: OPTICS AND LASERS IN ENGINEERING Volume: **50** Issue: **6** Pages: **883-886** DOI:[10.1016/j.optlaseng.2012.01.003](https://doi.org/10.1016/j.optlaseng.2012.01.003) Published: **JUN 2012**
Times Cited: **0** (from Web of Science)
 [ [View abstract](#)]
5. Title: **Tension behavior of free-standing amorphous film and amorphous-crystalline nanolaminates in submicron scale**
Author(s): Lee, C. J.; Lin, H. K.; Huang, J. C.; et al.
Source: SCRIPTA MATERIALIA Volume: **65** Issue: **8** Pages: **695-698** DOI: [10.1016/j.scriptamat.2011.07.015](https://doi.org/10.1016/j.scriptamat.2011.07.015) Published: **OCT 2011**
Times Cited: **3** (from Web of Science)
 [ [View abstract](#)]
6. Title: **Tension behavior of metallic glass coating on Cu foil**
Author(s): Pei, H. J.; Lee, C. J.; Du, X. H.; et al.
Source: MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING Volume: **528** Issue: **24** Pages: **7317-7322** DOI: [10.1016/j.msea.2011.06.022](https://doi.org/10.1016/j.msea.2011.06.022) Published: **SEP 15 2011**
Times Cited: **4** (from Web of Science)
 [ [View abstract](#)]
7. Title: **Enhanced mechanical properties of multilayered micropillars of amorphous ZrCuTi and nanocrystalline Ta layers**
Author(s): Chou, H. S.; Du, X. H.; Lee, C. J.; et al.
Source: INTERMETALLICS Volume: **19** Issue: **7** Pages: **1047-1051** DOI: [10.1016/j.intermet.2011.03.015](https://doi.org/10.1016/j.intermet.2011.03.015) Published: **JUL 2011**
Times Cited: **1** (from Web of Science)
 [ [View abstract](#)]
8. Title: **Effects of Ag addition on phase transformation and resistivity of TiSi₂ thin films**
Author(s): Sun, S. Y.; Lee, C. J.; Chou, H. S.; et al.
Source: APPLIED SURFACE SCIENCE Volume: **257** Issue: **7** Pages: **2550-2554** DOI:[10.1016/j.apsusc.2010.10.020](https://doi.org/10.1016/j.apsusc.2010.10.020) Published: **JAN 15 2011**
Times Cited: **0** (from Web of Science)
 [ [View abstract](#)]
9. Title: **Characteristic difference between ITO/ZrCu and ITO/Ag bi-layer films as transparent electrodes deposited on PET substrate**
Author(s): Lee, C. J.; Lin, H. K.; Sun, S. Y.; et al.
Source: APPLIED SURFACE SCIENCE Volume: **257** Issue: **1** Pages: **239-243** DOI:[10.1016/j.apsusc.2010.06.074](https://doi.org/10.1016/j.apsusc.2010.06.074) Published: **OCT 15 2010**
Times Cited: **4** (from Web of Science)



[View abstract]

10. Title: **Strain burst speeds in metallic glass micropillars**
Author(s): Lai, Y. H.; Chen, H. M.; Lee, C. J.; et al.
Source: INTERMETALLICS Volume: **18** Issue: **10** Special
Issue: **SI** Pages: **1893-1897** DOI:[10.1016/j.intermet.2010.02.037](https://doi.org/10.1016/j.intermet.2010.02.037) Published: **OCT 2010**
Times Cited: **1** (from Web of Science)



[View abstract]

11. Title: **Microscale deformation behavior of amorphous/nanocrystalline multilayered pillars**
Author(s): Liu, M. C.; Lee, C. J.; Lai, Y. H.; et al.
Source: THIN SOLID FILMS Volume: **518** Issue: **24** Special
Issue: **SI** Pages: **7295-7299** DOI:[10.1016/j.tsf.2010.04.096](https://doi.org/10.1016/j.tsf.2010.04.096) Published: **OCT 1 2010**
Times Cited: **11** (from Web of Science)



[View abstract]

12. Title: **Strength variation and cast defect distribution in metallic glasses**
Author(s): Lee, C. J.; Lai, Y. H.; Huang, J. C.; et al.
Source: SCRIPTA
MATERIALIA Volume: **63** Issue: **1** Pages: **105-108** DOI: [10.1016/j.scriptamat.2010.03.028](https://doi.org/10.1016/j.scriptamat.2010.03.028) Published: **JUL 2010**
Times Cited: **8** (from Web of Science)



[View abstract]

13. Title: **Flow serration and shear-band propagation in porous Mo particles reinforced Mg-based bulk metallic glass composites**
Author(s): Chen, H. M.; Lee, C. J.; Huang, J. C.; et al.
Source: INTERMETALLICS Volume: **18** Issue: **6** Pages: **1240-1243** DOI: [10.1016/j.intermet.2010.03.024](https://doi.org/10.1016/j.intermet.2010.03.024) Published: **JUN 2010**
Times Cited: **3** (from Web of Science)



[View abstract]

14. Title: **Mechanical Behavior of Au-Based Metallic Glass in Micro-Scale at Ambient and Elevated Temperatures**
Author(s): Lee, C. J.; Lai, Y. H.; Tang, C. W.; et al.
Source: MATERIALS TRANSACTIONS Volume: **50** Issue: **12** Special
Issue: **SI** Pages: **2795-2800** DOI:[10.2320/matertrans.M2009219](https://doi.org/10.2320/matertrans.M2009219) Published: **DEC 2009**
Times Cited: **3** (from Web of Science)



[View abstract]

15. Title: **A nanoscaled underlayer confinement approach for achieving extraordinarily plastic amorphous thin film**
Author(s): Liu, M. C.; Huang, J. C.; Chou, H. S.; et al.
Source: SCRIPTA
MATERIALIA Volume: **61** Issue: **8** Pages: **840-843** DOI: [10.1016/j.scriptamat.2009.07.010](https://doi.org/10.1016/j.scriptamat.2009.07.010) Published: **OCT 2009**
Times Cited: **21** (from Web of Science)



[[View abstract](#)]

16. Title: [Finite element simulation of micro-imprinting in Mg-Cu-Y amorphous alloy](#)
Author(s): Chang, Y. C.; Wu, T. T.; Chen, M. F.; et al.
Source: MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS
PROPERTIES MICROSTRUCTURE AND
PROCESSING Volume: **499** Issue: **1-2** Pages: **153-156** DOI: **10.1016/j.msea.2007.11.117** Publish
ed: **JAN 15 2009**
Times Cited: **5** (from Web of Science)




[[View abstract](#)]

17. Title: [On the fragility and thermomechanical properties of Mg-Cu-Gd-\(B\) bulk metallic glasses](#)
Author(s): Chang, Y. C.; Huang, J. C.; Cheng, Y. T.; et al.
Source: JOURNAL OF APPLIED PHYSICS Volume: **103** Issue: **10** Article
Number: **103521** DOI: **10.1063/1.2927459** Published: **MAY 15 2008**
Times Cited: **9** (from Web of Science)




[[View abstract](#)]

18. Title: [Bulk and microscale compressive behavior of a Zr-based metallic glass](#)
Author(s): Lai, Y. H.; Lee, C. J.; Cheng, Y. T.; et al.
Source: SCRIPTA
MATERIALIA Volume: **58** Issue: **10** Pages: **890-893** DOI: **10.1016/j.scriptamat.2008.01.009** Pub
lished: **MAY 2008**
Times Cited: **61** (from Web of Science)




[[View abstract](#)]

19. Title: [Hot embossing of micro-lens array on bulk metallic glass](#)
Author(s): Pan, C. T.; Wu, T. T.; Chen, M. F.; et al.
Source: SENSORS AND ACTUATORS
A-PHYSICAL Volume: **141** Issue: **2** Pages: **422-431** DOI: **10.1016/j.sna.2007.10.040** Published:
FEB 15 2008
Times Cited: **21** (from Web of Science)




[[View abstract](#)]

20. Title: [Sample size effect and microcompression of Mg₆₅Cu₂₅Gd₁₀ metallic glass](#)
Author(s): Lee, C. J.; Huang, J. C.; Nieh, T. G.
Source: APPLIED PHYSICS LETTERS Volume: **91** Issue: **16** Article
Number: **161913** DOI: **10.1063/1.2800313** Published: **OCT 15 2007**
Times Cited: **71** (from Web of Science)



[[View abstract](#)]

21. Title: [Viscous flow behavior and thermal properties of bulk amorphous Mg₅₈Cu₃₁Y₁₁ alloy](#)
Author(s): Chang, Y. C.; Hung, T. H.; Chen, H. M.; et al.
Source: INTERMETALLICS Volume: **15** Issue: **10** Pages: **1303-1308** DOI: **10.1016/j.intermet.2007.03.012** Published: **OCT 2007**
Times Cited: **20** (from Web of Science)




[ [View abstract](#)]

22. Title: [Superplastic behavior of an extruded eutectic NiAl/Cr\(Mo\) alloy at intermediate strain rate region](#)
Author(s): Du, Xinghao; Wu, Baolin; Lee, C. J.; et al.
Source: JOURNAL OF MATERIALS SCIENCE Volume: 42 Issue: 16 Pages: 6578-6582 DOI: 10.1007/s10853-007-1511-3 Published: AUG 2007
Times Cited: 0 (from Web of Science)

[ [View abstract](#)]

23. Title: [Improvement of yield stress of friction-stirred Mg-Al-Zn alloys by subsequent compression](#)
Author(s): Lee, C. J.; Huang, J. C.; Du, X. H.
Source: SCRIPTA MATERIALIA Volume: 56 Issue: 10 Pages: 875-878 DOI: 10.1016/j.scriptamat.2007.01.041 Published: MAY 2007
Times Cited: 4 (from Web of Science)



[ [View abstract](#)]

24. Title: [Using multiple FSP passes to cure onion splitting of Mg alloys deformed at elevated temperatures](#)
Author(s): Lee, C. J.; Huang, J. C.; Du, X. H.
Source: MATERIALS TRANSACTIONS Volume: 48 Issue: 4 Pages: 780-786 DOI: 10.2320/matertrans.48.780 Published: APR 2007
Times Cited: 1 (from Web of Science)

[ [View abstract](#)]

25. Title: [On the hardening of friction stir processed Mg-AZ31 based composites with 5-20% nano-ZrO₂ and nano-SiO₂ particles](#)
Author(s): Chang, C. I.; Wang, Y. N.; Pei, H. R.; et al.
Source: MATERIALS TRANSACTIONS Volume: 47 Issue: 12 Pages: 2942-2949 DOI:10.2320/matertrans.47.2942 Published: DEC 2006
Times Cited: 15 (from Web of Science)

[ [View abstract](#)]

26. Title: [High strain rate superplasticity of Mg based composites fabricated by friction stir processing](#)
Author(s): Lee, C. J.; Huang, J. C.
Source: MATERIALS TRANSACTIONS Volume: 47 Issue: 11 Pages: 2773-2778 DOI:10.2320/matertrans.47.2773 Published: NOV 2006
Times Cited: 8 (from Web of Science)

[ [View abstract](#)]

27. Title: [Texture and weak grain size dependence in friction stir processed Mg-Al-Zn alloy](#)
Author(s): Wang, Y. N.; Chang, C. I.; Lee, C. J.; et al.
Source: SCRIPTA MATERIALIA Volume: 55 Issue: 7 Pages: 637-640 DOI: 10.1016/j.scriptamat.2006.06.005 Published: OCT 2006

- Times Cited: [42](#) (from Web of Science)

[ [View abstract](#)]
28. Title: [Mg based nano-composites fabricated by friction stir processing](#)
Author(s): Lee, CJ; Huang, JC; Hsieh, PJ
Source: SCRIPTA
MATERIALIA Volume: 54 Issue: 7 Pages: 1415-1420 DOI:10.1016/j.scriptamat.2005.11.056 Published: APR 2006
Times Cited: [87](#) (from Web of Science)

[ [View abstract](#)]
29. Title: [Using friction stir processing to fabricate Mg based composites with nano fillers](#)
Author(s): Lee, C. J.; Huang, J. C.; Hsieh, P. L.
Book Editor(s): Tsao, CYA; Guo, JK
Source: COMPOSITE MATERIALS IV Book Series: KEY ENGINEERING MATERIALS Volume: 313 Pages: 69-75 Published: 2006
Times Cited: [3](#) (from Web of Science)

[ [View abstract](#)]
30. Title: [Relationship between grain size and Zener-Holloman parameter during friction stir processing in AZ31 Mg alloys](#)
Author(s): Chang, CI; Lee, CJ; Huang, JC
Source: SCRIPTA
MATERIALIA Volume: 51 Issue: 6 Pages: 509-514 DOI: 10.1016/j.scriptamat.2004.05.043 Published: SEP 2004
Times Cited: [138](#) (from Web of Science)

[ [View abstract](#)]
31. Title: [Cavitation characteristics in AZ31 Mg alloys during LTSP or HSRSP](#)
Author(s): Lee, CJ; Huang, JC
Source: ACTA
MATERIALIA Volume: 52 Issue: 10 Pages: 3111-3122 DOI: 10.1016/j.actamat.2004.03.012 Published: JUN 7 2004
Times Cited: [43](#) (from Web of Science)

[ [View abstract](#)]
32. Title: [Influence from extrusion parameters on high strain rate and low temperature superplasticity of AZ series Mg-based alloys](#)
Author(s): Wang, YN; Lee, CJ; Huang, CC; et al.
Book Editor(s): Chandra, T; Torralba, JM; Sakai, T
Source: THERMEC'2003, PTS 1-5 Book Series: MATERIALS SCIENCE FORUM Volume: 426-4 Pages: 2655-2660 Published: 2003
Times Cited: [16](#) (from Web of Science)

[ [View abstract](#)]